



North Shore Gastroenterology Associates, P.C.  
233 East Shore Road, Suite 101  
Great Neck, New York 11023  
Tel: 516-487-2444  
Fax: 516-487-2446  
www.northshoregastro.com

**COLONOSCOPY  
HALF TRILYTE PREP**

PATIENT NAME: \_\_\_\_\_ DATE OF PROCEDURE: \_\_\_\_\_

DOCTOR: \_\_\_\_\_ LOCATION: \_\_\_\_\_

ARRIVAL TIME: \_\_\_\_\_ PROCEDURE TIME: \_\_\_\_\_

HOLD THE FOLLOWING MEDICATIONS: \_\_\_\_\_

**IF YOU ARE UNABLE TO KEEP YOUR APPOINTMENT, WE ASK THAT YOU GIVE US 72 HOURS NOTICE. If you do not call, and fail to show up for your scheduled procedure you will be charged a "No Show Fee" of \$100.00.**

**You MUST make arrangements to have someone accompany you to your procedure. THIS PERSON MUST COME UPSTAIRS TO SIGN YOU OUT. Due to the effects of anesthesia, YOU ARE NOT ALLOWED TO DRIVE FOR THE REST OF THE DAY. For your safety we CANNOT allow you to take a taxi.**

**You may NOT go to work on the day of your procedure. You MUST stay home and rest for the remainder of the day.**

**\*\*IMPORTANT: IF YOU ARE A SMOKER, WE STRONGLY ADVISE THAT YOU DO NOT SMOKE THE DAY OF YOUR PROCEDURE. SMOKING PRIOR TO YOUR PROCEDURE COULD CAUSE COMPLICATIONS WITH ANESTHESIA\*\***

**PICK UP FROM THE PHARMACY:**

1. Trilyte; this is available by prescription only. Please contact our office immediately if you did not receive your prescription.
2. Two (2) **Dulcolax** Tablets (over the counter, no prescription needed)

**AT LEAST ONE WEEK PRIOR TO YOUR PROCEDURE:**

1. **If you take any blood thinners, such as Coumadin, Plavix or Aspirin on a daily basis, you must notify your Doctor IMMEDIATELY!** These medications **MAY** need to be discontinued prior to your procedure.
2. **If you take Insulin, you must discuss with your Doctor whether or not you need to hold off taking or reduce your morning dose the day of the procedure.**
3. **STOP** taking any vitamins containing iron and/or iron supplements **ONE WEEK** prior to your procedure.

**THE DAY BEFORE YOUR PROCEDURE:**

**Do not apply any lotion to your chest, arms or legs!**

1. **You must be on a CLEAR LIQUID DIET for the ENTIRE day.**

<b>You May Have:</b>	<b>You May NOT Have:</b>
Water            Seltzer            Apple Juice	Solid Foods            Alcohol
Sprite            Ginger Ale            Plain Jello (not red or purple)	Lemonade            Milk or Milk Products
Bouillon or Clear Broth            Gatorade (not red or purple)	
White Grape Juice            Italian Ice(not red or purple)	
Black Coffee or Tea (no milk or creamer)	
Gum	

2. Drink an **EXTRA** 8-ounces of clear liquid every hour, from 11:00am-5:00pm.
3. **At 4PM**, take 2 (two) DULCOLAX tablets with water and continue clear liquids.
4. **At 6PM**, drink 8-ounces of the TriLyte solution every 10 minutes until about 1/2 of the solution is consumed. *Rapidly drinking a glass will do a better job than sipping an ounce or two at a time.* Place the remaining 1/2 of the solution in the refrigerator.
5. **You are encouraged to continue to drink as much clear liquid as possible until bedtime.**

**THE DAY OF THE PROCEDURE:**

1. **YOU SHOULD TAKE YOUR BLOOD PRESSURE AND/OR HEART MEDICATIONS EARLY IN THE MORNING WITH A SMALL SIP OF WATER. If you must take other medications on the day of the procedure, please call our office.**
2. HAVE NOTHING ELSE TO EAT OR DRINK, NOT EVEN WATER, until after your procedure.
3. If the solution has not been effective in producing clear liquid bowel movements, administer a tap water enema before leaving the house for your procedure.
4. **FEMALE PATIENTS:** Please be aware that on the day of your procedure, you may need to provide a urine sample.

**\*\*\* REMEMBER \*\*\***

**DO NOT OMIT ANY PART OF THE PREPARATION. A POOR PREPARATION MAY CAUSE A POLYP OR CANCER TO GO UNDETECTED AND THE PROCEDURE MAY NEED TO BE REPEATED AFTER REPREPPING.**

**Stay hydrated:** A colonoscopy prep causes the body to lose a significant amount of fluid and can result in sickness due to dehydration. It's important that you prepare your body by drinking extra clear liquids before the prep, stay hydrated by drinking all required clear liquids during the prep, and replenish your system by drinking clear liquids after returning home from your colonoscopy.

**Drink extra liquids before, during, and after your bowel prep (until 4 hours before your procedure), as well as after your colonoscopy!!**

**Stay positive:** We realize that the colonoscopy prep may not be the most glamorous process. But remember, when you get a colonoscopy, you are taking a proactive step toward prevention or early detection of colorectal cancer.



North Shore Gastroenterology Associates, P.C.  
233 East Shore Road, Suit 101  
Great Neck, New York 11023  
Tel: 516-487-2444  
Fax: 516-487-2446  
[www.northshoregastro.com](http://www.northshoregastro.com)

## COLONOSCOPY PREP WORKSHEET

Please use the worksheet below to make sure that you are properly prepped for your colonoscopy.

My colonoscopy is scheduled for \_\_\_\_\_ at \_\_\_\_\_.

### One Week Before Your Colonoscopy:

- Read prep instructions thoroughly
- Pick up prep
- Make arrangements to take the day of your procedure off from work
- Adjust medications according to your doctor's instructions

### 3 Days Before Your Colonoscopy:

- Confirm transportation to and from your procedure
- If you need to cancel or reschedule your procedure for any reason, call the office to avoid a possible cancellation/no show fee
- Call your doctor if you have any questions or concerns

### The Day Before Your Colonoscopy:

- Begin a clear liquid diet. You may not have any solid food for the ENTIRE day
- At 4:00pm, take 2 dulcolax tablets as written in the instructions
- At 6:00pm, take the first half of your prep as written in the instructions
- Drink plenty of clear liquids

### The Day of Your Colonoscopy:

- Take any heart and/or blood pressure medications with a small sip of water
- Have nothing else to eat or drink 4 hours before your procedure
- Arrive 1/2 hour before your procedure, with your driver, to check in